

Desert colours and patterns in Libya

Sentinel-3 OLCI FR acquired on **30 October 2016** at 08:56:33 UTC
Sentinel-3 OLCI FR acquired on **12 August 2017** at 08:41:37 UTC
Sentinel-3 OLCI FR acquired on **19 October 2017** at 09:19:02 UTC
Sentinel-2 MSI acquired on **23 November 2017** at 09:33:09 UTC
Sentinel-2 MSI acquired on **30 November 2017** at 09:23:29 UTC

Author(s): Sentinel Vision team, VisioTerra, France - svp@visioterra.fr

Keyword(s): Land, desert, sand, volcanoes, caldera, lava field, cones, basalt, erg, reg, wadi, drainage, Libya, Sahara

[2D Layerstack](#)

Fig. 1 - Sentinel 3A (19.10.2017, 30.10.2016 & 12.08.2017) - 10,6,3 Natural color composite - Varied colours of the Lybian Sahara.

[2D view](#)




Fig. 2 - Sentinel 2A (30.11.2017) - 4,3,2 Natural colour composite - Waw an Namus caldera, cone & salt lakes.

[2D view](#) [3D view](#)




Fig. 3 - (23.11.2017) - 12,8,3 colour composite - Dendritic wadi drainage patterns south-west of Haruj volcanic field.

[2D view](#)





Fig. 4 - (30.11.2017) - 12,8,3 colour composite - Baltas depressions, basaltic cones and lava flows in Haruj volcanic field.

[2D view](#)



The views expressed herein can in no way be taken to reflect the official opinion of the European Space Agency or the European Union.

More on European Commission space:									
More on ESA:				S-1 website	S-2 website	S-3 website			
More on Copernicus program:				SciHub portal	CopHub portal	Inthub portal	ColHub portal		
More on VisioTerra:				Sentinel Vision Portal	Envisat+ERS portal	Swarm+GOCE portal	CryoSat portal	Proba-V portal	